B & J Enterprises, L.C.


3807 Brandon Avenue, S.W. Suite #245 Roanoke, Virginia 24018 Phone (540) 989-3653

pricingly.

May 20, 2008

Becky L. France, EES
Department of Environmental Quality
West Central Regional Office
3019 Peters Creek Road
Roanoke, VA 24019

Re: VPDES Permit No. VA0027481
Blacksburg Country Club Estates WWTP
Request for Waivers



Dear Becky France:

Thank you for your follow-up letter dated March 27, 2008 with the list of deficiencies in our application. Thank you for continuing to help with our Discharge Permit. B&J Enterprises, LC wishes to request the following waivers with respect to this Discharge Permit Application:

- 1. Request for Waiver to allow TSS and BOD5 be performed on a grab sample in lieu of 24-hour composite samples because the permit requires grab samples.
- 2. Request for Waiver to submit previously submitted E. coli data instead of fecal coliform data.
- 3. Request for Waiver for daily data collection of Flow, ph, and chlorine on Sundays and Holidays.
- 4. Request for Waiver of data required on page 3 of the Sewage Sludge Application Form since the sewage sludge will be hauled to a wastewater treatment plant for further treatment the data are not of material importance to the permit.

Also, please note that the Closure Plan Financial Assurance Mechanism has been increased from the last permit. The Closure Plan is the same, but the amount has been increased from \$25,000 to \$50,000. This amount is a more realistic and accurate amount to cover the current expenses of the Plan. The status of the funding is current. Upon approval of the increased

amount, B&J Enterprises, LC will apply to the State Corporation Commission for a five year extension of the currently approved financial assurance mechanism, and collect it accordingly.

B&J Enterprises, LC is not planning an expansion to the treatment facility. We are currently operating at approximately one third of the current permit capacity. This remaining capacity will allow for the remaining lots in the development to be serviced by the system.

Thank you for this opportunity to address all the deficiencies listed in your letter, thus completing our application.

Respectfully Yours,

Dama Trimble Reynolds II, Supt.

B&J Enterprises, LC



B & J Enterprises, L.C.

3807 Brandon Avenue, S.W.
Suite #245
Roanoke, Virginia 24018
Phone (540) 989-3653

Extended Aeration Closure Plan

B&J Enterprises, L.C. Blacksburg Country Club Estates WWTP Blacksburg, VA



Extended Aeration History and General Data

The Blacksburg Country Club Estates WWTP Extended Aeration System with post chlorinator and de-chlorination currently requires a Closure Plan for the Application of its VPDES Permit. There is no intention to actually close the facility by the current owners of the facility in the foreseeable future. The facility is located in the Ellett Valley of Montgomery County. It currently serves 155 residential customers and one commercial customer. The outfall is near the North Fork of the Roanoke River. The system was completed in 1999, and is currently permitted under VPDES Permit No. VA0027481. The discharge limit is not to exceed 0.035 MGD. If this plan is implemented, it will be when B&J Enterprises, L.C. becomes financially insolvent or unavailable.

Radical Closure and removal of the plant is not an option due to the large number of permanent residences in the vicinity coupled with soil conditions that preclude individual septic drain fields. This situation gives rise to three options for the system upon failure of the current utility company. These options are sale of the utility company, transfer of the utility company to the Montgomery County PSA, or connection to another system.

Sale of the Utility Company

Upon failure of the utility company and implementation of the Plan, the utility company would be offered for sale to private individuals or a corporation. Sale of the utility would be upon the approval of the State Corporation Commission. Permits, deeds, easements and accounting would be transferred in a timely manner which would not exceed the two year permit closure time frame. Sale would be by sales contract completed by Reynolds Farms/Daina Reynolds, contract closure plan implementer.

Transfer of the Utility Company

Upon failure of the company and implementation of the plan, the utility company may be transferred to the Montgomery County PSA. In this scenario, the utility company would rely upon the charter of the MCPSA which states that they are chartered to build and acquire WWTPs in Montgomery County. The Plan implementer would immediately apply for acquisition by the PSA. Permits, deeds, easements, and accounting would be transferred in a timely manner which would not exceed the two year closure time frame.

Connection to Adjacent System

Upon failure of the company and implementation of the Plan, the company may be connected to an adjacent system. In this scenario, the Number One Pumping Station would be used to pump pretreated waste into the Town of Blacksburg system and the utility would become a customer of the town, the town recently passed an ordinance allowing them to extend to customers outside their town limits.

This connection could be easily accomplished by the addition of one pumping station in the Nellies Cave Road area. Upon implementation of this plan the plan implementer would immediately apply for service and Extension of Mains which process would not exceed the two year closure plan time frame. The town of Blacksburg is adjacent to the Blacksburg Country Club Estates.

Implementation of the Plan

The plan will be implemented at the direction of the DEQ. The contract implementer of the plan will be Daina T. Reynolds II dba Reynolds Farms. Upon notification by the DEQ and release of the Closure Bond, Mr. Reynolds will execute the plan option or options which he deems most advantageous, accomplishable and prudent. The closure plan contract is attached as part of this plan. Upon notification by the DEQ and release of the Closure Bond, Mr. Reynolds would receive the utility company and immediately secure the books, records, revenues and accounts of the utility company. Mr. Reynolds will insure the ongoing operations of the utility company as the operator, superintendent and administrator of the utility company operations, and receiver of the business and assets. Mr. Reynolds is very knowledgeable and competent due to his intimate involvement with the utility company since it has been a regulated entity. Mr. Reynolds will continue with the management and operation of the utility company until relieved of his responsibilities by the completion of the closure plan. The utility company has every confidence in Mr. Reynolds' abilities as manager, operator, superintendent, plan implementer and receiver.

Bonding

Since the utility company will continue to collect revenues after the failure or insolvency of B&J Enterprises, LC, or operations are ceased by B&J Enterprises, LC, a competitive management fee will be paid to the receiver commensurate with the services rendered. A Closure Bond is currently established and funded through the surcharge approved by the State Corporation Commission. The amount of the Closure Bond will be \$50,000.00, fifty thousand dollars. The Closure Bond and related funds will be released to the contract plan implementer immediately upon implementation of the plan.

Cost Estimate

The cost to implement the closure plan will be \$50,000.00, fifty thousand dollars.

Contract for Closure Plan Implementation

B&J Enterprises, LC and Daina T. Reynolds II, dba Reynolds Farms, do hereby and herein contract the following:

Daina T. Reynolds II dba Reynolds Farms will for the Closure Bond amount of \$50,000.00 with the Cost Index Increases and all related monies, and a competitive management fee will implement the Closure Plan approved by the Department of Environmental Quality. Mr Reynolds will perform or secure the duties of operator in charge, superintendent, implementer of the Closure Plan, administrator and receiver during the two year term of the Closure Plan.

E. H. Lester

Managing Partner

B&J Enterprises, LC

Daina T. Reynolds J.

Owner

Reynolds Farms

Votary

My commission expires:

RECEIVED

MAY 28 2008

DEQ-WCRO

Commonwealth L. Marriers

Commonwealth of Virginia

B & J Enterprises, L.C.

BF

3807 Brandon Avenue, S.W. Suite #245 Roanoke, Virginia 24018 Phone (540) 989-3653

March 14, 2008

Becky L. France, EES
Department of Environmental Quality
West Central Regional Office
3019 Peters Creek Road
Roanoke, VA 24019

Re: VPDES Permit No. VA0027481

Permit Application

Dear Becky France:

Please consider this completed Permit Application for our discharge permit and Supplementary Information. If there are any further requirements or amendments, please contact me at 540-989-3653.

Thank you for your assistance with this Permit Application.

Respectfully Yours,

Daina Trimble Reynolds II, Supt.

B&J Enterprises, LC

B & J Enterprises, L.C.

3807 Brandon Avenue, S.W. Suite #245 Roanoke, Virginia 24018 Phone (540) 989-3653

March 4, 2008

Commonwealth of Virginia Becky L. France, EES Department of Environmental Quality West Central Regional Office 3019 Peters Creek Road Roanoke, VA 24019

Re: VPDES Permit No. VA0027481

Permit Application

Request for Incremental Funding of Financial Assurance Mechanism

Dear Becky France:

Please consider this letter of Request for Incremental Funding of the required Financial Assurance Mechanism to execute the Closure Plan. The amount of the financial assurance mechanism will be fifty thousand dollars. The Utility Company will fund the plan over a period of ten years at \$5000 per year plus the cost index addition to the plan beginning in 2003. The plan will continue to be funded at the current rate until it matures. Payments will be made according to the current payment requirements imposed during the previous permit.

We are well within the guidelines of Guidance Memorandum No. 01-2002, Implementation Guidance for Financial Assurance Regulation, 9VAC 25-650-10 et seq. The mechanism funding approved by the State Corporation Commission, i.e. the surcharge, would continue to fund the Mechanism.

Thank you for your consideration and acceptance of this Letter of Request.

Respectfully Yours:

Dema Trimble Reynolds II, Supt.

B&J Enterprises, LC

FACILITY NAME AND PERMIT NUMBER: VA0027481

Blazes burg Comby Club WWTP

Form Approved 1/14/99 OMB Number 2040-0086

FORM

2A NPDES

NPDES FORM 2/A APPLICATION OVERVIEW

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

SIC APPLICAT RT A. BASIC APPLI reatment (works) must be Facility Information. Facility name	ION INFORMATION CATION INFORMATION CATION INFORMATION FOR ALL APPLICA OMPLETE FRANCISC OF THE COMPLETE FRANCISC OF THE C	oplication linformation packet a	MAY 2.8 2433 DEQ-WCRO
RT A. BASIC APPLI reatment/works/music Facility Information. Facility name Mailing Address	CATION INFORMATION FOR ALL APPLICA COMPLETE GUESTIONS/AMETHROUGHTA: BY COMPRESSION COMPRE	oplication linformation packet a	
reatment works must to Facility Information. Facility name Mailing Address	Blackshund Com Jry C. 3807 BRANDON ANNA	oplication linformation packet a	
Facility Information. Facility name Mailing Address	Blackshund Com by C. 3807 BRANDON AVIANI	Jus WWTP	DEQ-WCRO
Facility name Mailing Address	3807 BRANDON Avenu		DEQ-WCRO
Mailing Address	3807 BRANDON Avenu		
		of S.W. Frite	
Contact person			245
	DAINA T. Phynolog.	<i>#</i> ,	
Title	SUPPRINTENDENT		
Telephone number	540 - 989 - 3653		
Facility Address	Clubhousa Porn, Bli	Acks burns Com by	Club Estates
(not P.O. Box)	Blacksburg, VA.		
	n. If the applicant is different from the above, provide th		
Applicant name	B+ J ENTERPRIES, L		
Mailing Address	3807 BAAMDON AVE, S		
Contact person	Romoke, VA. 24018 DAINA T. REYNOUN		
Title	SUPAN IN THE DENT		
Telephone number	540-989-3653		
Is the applicant the o	wner or operator (or both) of the treatment works?	•	
owner	operator		
	spondence regarding this permit should be directed to the	he facility or the applicant.	
facility	applicant		to an income discount of the same of the s
Existing Environmen (include state-issued p	tal Permits. Provide the permit number of any existing ermits).	g environmental permits that have i	seen issued to the treatment works
NPDES		PSD	
UIC		Other VPB65 No.	. VA 00 27481
RCRA		Other	
Collection System In entity and, if known, pr	formation. Provide information on municipalities and a ovide information and the type of collection system (com	bined vs. separate) and its owners	ship (municipal, private, etc.).
Name		e of Collection System	Ownership RAJ Entermisas
BBCC ES	rafes 10 pres G	G & F	B+ 8 fu tupries

FACILITY NAME AND PERMIT NUMBER:

Form Approved 1/14/99 OMB Number 2040-0086

BBCC WWTP-VACO27481

٠.	Inc	dian Country.							
	a.	Is the treatment works located in Indian Cou	intry?				RECE	EIVEC)
		Yes				1			7
	b.	Does the treatment works discharge to a rec through) Indian Country?				hat is upstre	m from (and ev MAY 2	entually flov	/s
		No							ļ
	dai	ow. Indicate the design flow rate of the treatm ly flow rate and maximum daily flow rate for e onth of "this year" occurring no more than thre	ach of the last	three years. E	ach year's data m	plant was bu ust be based	uilt td Pande A	NGA6	he av
	a.	Design flow rate 0.035 mgd							
			Two Years A	. <u>go</u>	Last Year		This Year		
	b.	Annual average daily flow rate	35/20	GPA	16540	600	15758	GPP	mge
	C.	Maximum daily flow rate	0.171	MGD	0.103	MGD	0.028	MOD	- mge
		Ilection System. Indicate the type(s) of collection (by miles) of each. Separate sanitary sewer	ection system(s	s) used by the	treatment plant. C	Check all that	apply. Also est	imate the pe	_ %
-		Combined storm and sanitary sewer							- %
8.	Dis	charges and Other Disposal Methods.							
;	a.	Does the treatment works discharge effluent	to waters of th	ne U.S.?		_ 1	Yes		No
		If yes, list how many of each of the following	types of disch	arge points the	treatment works	uses:	•	 -	-
		i. Discharges of treated effluent							
		ii. Discharges of untreated or partially treat	ted effluent					0	
		iii. Combined sewer overflow points						0	
		iv. Constructed emergency overflows (prior	to the headwo	orks)				0	
		v. Other		*				0	
ł	ο.	Does the treatment works discharge effluent that do not have outlets for discharge to water lf yes, provide the following for each surface Location:	ers of the U.S.1	?	urface impoundme	ents	Yes	_/	. No
		Annual average daily volume discharged to	surface impoun	idment(s)				mgd	
		Is discharge continuous or		intermittent?					
c).	Does the treatment works land-apply treated	wastewater?			**************************************	Yes	_	_ No
		If yes, provide the following for each land ap-	olication site:						
		Location:							
		Alondon of anna.		·					
		Annual average daily volume applied to site:		· · · · · · · · · · · · · · · · · · ·	N	Иgd			
		Is land application continuo	us or	intermi	ttent?				
_	i.	Does the treatment works discharge or trans treatment works?	port treated or	untreated was	tewater to another	r			

FACILITY NAME AND PERMIT NUMBER:

Form Approved 1/14/99 OMB Number 2040-0086

BBCC WNTO VAOO 27481

(e.g., tank truck, pipe)	/	transported to the other treatment works
If transport is by a par	ty other than the applicant, provide:	_
Transporter name:	HAlls SEPTIL SERVICE	DECEIVED
Mailing Address:	211 Willow brook Lang	HEULIVED
	Romoke, VA. 24012	
Contact person:	Bill HALL	MAY 2.8 2005
Title:	OUNER	WCRO
Telephone number:	540-977-7684	DEQ-WCRO
Name: Mailing Address: Contact person:	Pomoka Pakiovar Water Polluti 1402 RENNINGTON St. Pomoke, VA. 24014 MANTIN SENSABAMEH	a Carpol Plant
Title:	Preprentant Co-oppinator	
Telephone number:	540-853-2406	
If known, provide the N	PDES permit number of the treatment works that receives this discharge	VA0025020
Provide the average da	ily flow rate from the treatment works into the receiving facility.	
Does the treatment wor A.8.a through A.8.d abo	rks discharge or dispose of its wastewater in a manner not included in ove (e.g., underground percolation, well injection)?	Yes No
If yes, provide the follow	ving <u>for each disposal method</u> :	- -
Description of method ((including location and size of site(s) if applicable): NENY RAGINAL LANDE, L	
Annual daily volume dis	sposed of by this method: Lis Man 5 lbs	
Is disposal through this	method continuous or intermittent?	

	_	Y NAME AND PERMIT I	<u> </u>			Form Approved 1114/99 OMB Number 2040-0086
<u> </u>	<u> </u>	BCC WWTP	VA 002748	<u>/ </u>	RE	CEIVED
Gran and		TEWATER DISCHARG	- 1 Namahilanda diserra			
е	fflu	ent is discharged. Do not	restion A:8:a, complete question include information on combined information for Applicants with a	sewer overflows in this section	on. If you answered A	bypass points) through which no" to question A.S.a, go to
						Q-WCRO
A.9.	De	scription of Outfall.	6/		Di	G-WOILS
	a.	Outfall number	01	1/4	2.1.1	
	b.	Location	(City or town, if applicable)	VA.	2 406 (Zip Code)	<u> </u>
			(County)	311 - 1	(State)	
			(Latitude)	30 562	(Longitude)	m 00 8 AC.
	c.	Distance from shore (if a	applicable)	f	t.	7 TO 1 TO
	d.	Depth below surface (if	applicable)	f	t.	RECEIVED
	e.	Average daily flow rate		0.015	ngd	MAY 2.8 2003
	f.	Does this outfall have eidischarge?	ther an intermittent or a periodic	Yes	No	
		If yes, provide the follow	ing information:			DEQ-WCRO
		Number of times per yea	ar discharge occurs:			
		Average duration of each	h discharge:			
		Average flow per discha	rge:		mgd	
		Months in which dischar	ge occurs:			•
	g.	Is outfall equipped with a	a diffuser?	Yes	No	
A.10.	De	scription of Receiving V	Vaters.		•	
	a.	Name of receiving water	North	Fork of the	Korno ke	Rien
	b.	Name of watershed (if ki	nown)	UPPER RA		
		United States Soil Conse	ervation Service 14-digit watersh	ed code (if known):	LOZ -0	30/0/0/01010
	c.	Name of State Managen	nent/River Basin (if known):	Rom	noke Riv	2010/01010 An BASIN
	,	United States Geologica	l Survey 8-digit hydrologic catalo			010/0/
	d.	Critical low flow of receivacute 2.58	ving stream (if applicable): cfs	chronic 2.78	, cfs	
	е.	Total hardness of receiv	ing stream at critical low flow (if a	applicable): 232	mg/l of CaCO ₃	

FACILITY NAME AND P	ERMIT NUM	MBER:						proved 1/14/99 mber, 2948-0 086
RRCL WI	TP	VA. 0	02748	/			DECEN	ED
A.11. Description of Tre	atment.				- -	<u> </u>	HEULIN	
	reatment are mary vanced	e provided? Che	Secor		Pust ch.	loria A).	MAY 28	Louis hora
b. Indicate the follo	owing remov	/al rates (as ap	plicable):				DEQ-W	CHO
Design BOD _s re	emoval <u>or</u> D	esign CBOD _z n	emoval			98	%	
Design SS rem		J				98	%	
Design P remov	/al					98	%	
Design N remo	val					98	%	
Other	me				<u> </u>		%	
c. What type of di	sinfection is	used for the et	ffluent from this	outfall? If disinfo	ection varies by s	eason, pleas	se describe.	
	ch	JUV,WA;	tron					
If disinfection is	by chlorina	tion, is dechlori	ination used fo	r this outfall?		Ye	s	_ No
d. Does the treatn	nent plant ha	eve post aeratio	n?			Ye	s	No
A.12. Effluent Testing Ir	formation	All Applicant	ts that discha	rge to waters of	the US must p	rovide efflu	ent testing data for	the following
Outfall number:		01	Maximum(d)	_			n four and one-half RAGE DAILY VALU	
			Value 1	units,	子 中 文 文 Value	al a Mai	Units:-	lymber of Samples
			6.8					
pH (Minimum) pH (Maximum)			8.8	s.u.				
Flow Rate			. 247	MGD	0.016		MGD	365
Temperature (Winter)			2.0	• 0	10.5		00	59
Temperature (Summer) * For pH please rep	ort a minim		5.1 mum daily valu	<u>°C</u>	22.9		<u>• c</u>	62
POLLUTANT		MAXIMI	JM DAILY.	的。 1987年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,	SE DAILY:DISCI	HARGE	ANALYTICAL METHOD	ML/MDL
		Conc.	Units	Conc.	Units	Number of		
						Samples		
CONVENTIONAL AND N	ONCONVE	NTIONAL COM	MPOUNDS.					
BIOCHEMICAL OXYGEN	BOD-5	53	MgL	12	MGL	47	5m52108	<u> </u>
DEMAND (Report one)	CBOD-5	>1/00	4/4 401	>= 768	N/CML	65	SmarricE	2
FECAL COLIFORM	1D0 (T00)	>=1600	Newl	13	MELL	45	EPA 160.2	4
TOTAL SUSPENDED SOL	ره هرا) وريا المرازع (المرازع (A9 L	Property From 200 - 120	AND THE REAL PROPERTY.			
REFER TÓ THE	APPL	ICATION	OVERVI	ND OF PA EW TO DE U MUST C		WHICH	OTHER PAR	RTS OF FORM

Form Approved 1/14/99 FACILITY NAME AND PERMIT NUMBER: OMB Number 2040-0086 BRCCWWTP VAUDZ7481 BASIC APPLICATION INFORMATION ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR RART B. EQUAL TO 0.1 MGD (100,000 gallons per day). (lapplicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification) B.1. Inflow and Infiltration. Estimate the average number of gallons per day that flow into the reatment parts from Inflow and/or infiltration. Briefly explain any steps underway or planned to minimize inflow and infiltration. B.2. Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire a. The area surrounding the treatment plant, including all unit processes. b. The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable. c. Each well where wastewater from the treatment plant is injected underground. Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant. Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed. If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed. B.3. Process Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g, chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram. B.4. Operation/Maintenance Performed by Contractor(s). Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a ____Yes ____No If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary). Name: Mailing Address: Telephone Number: Responsibilities of Contractor: B.5. Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.) List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.

Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

_Yes ____No

FACILITY NAME AND PERI	MIT NUMBER:			1	, ,		roved 1/14/99
BRCL WW	TP VA	-00274	81	///	<i>₩</i> ·	OMB Nur	nber 2040-0086
c If the answer to B.5	<u> </u>			daily inflow rate	(if applicable).		
d. Provide dates impo For improvements Indicate dates as a Implementation Sta - Begin constructio - End construction - Begin discharge - Attain operational	planned independ ccurately as poss ge	dently of local, Sta	te, or Federal agerActr/	of completion for ncies, indicate places, indicate places and completion of the comp	the implement	RECEIVALAN 2 8	applicable:
e. Have appropriate p Describe briefly: _			r Federal/State req		obtained?	YesNo	
Applicants that discharg required by the permittir this section. All informa data must comply with (addressed by 40 CFR and one-half years old. Outfall Number:	ng authority <u>for ea</u> ition reported mu: QA/QC requireme	ach outfall through st be based on da ents of 40 CFR Pa nimum, effluent te	n which effluent is on the collected through art 136 and other a string data must be	<u>lischarged.</u> Do h analysis cond ppropriate QA/0	not include info ucted using 40 2C requiremen ast three pollute ARGE	ormation on combined CFR Part 136 method ts for standard method	sewer overflows in ds. In addition, this ds for analytes not
CONVENTIONAL AND NONC	ONVENTIONAL	COMPOUNDS.			Samples	METHOD	
AMMONIA (as N)			T				
CHLORINE (TOTAL RESIDUAL, TRC)							
DISSOLVED OXYGEN							
TOTAL KJELDAHL NITROGEN (TKN) NITRATE PLUS NITRITE NITROGEN							
OIL and GREASE						***	
PHOSPHORUS (Total)							
TOTAL DISSOLVED SOLIDS (TDS)			:				
OTHER		•					
REFER TO THE A	PPLICATIO	ON OVERV	END OF PA IEW TO DE DU MUST C	TERMINE		ÖTHER PART	S OF FORM

EPA Form 3510-2A (Rev. 1-99). Replaces EPA forms 7550-6 & 7550-22.

MB Number 2040-0086
A Management of the Control of the C
is certification. All is of Form 24 you have at a family better all sections
2 8 7003
-WCRO
-WCRO
nce with a system designed bersons who manage the alief, true, accurate, and risonment for knowing
_

ci

SEND COMPLETED FORMS TO:

FACILITY NAME AND PERMIT N	IUMBER		,				/				oved 1/14/99 per 2040-0086
BROC WNJA	1		VAO	02	1481		<u>, </u>	\longrightarrow			
SUPPLEMENTAL AP	PLIC/	TIOI	N INF	ORM/	ATION		1/	1/	-		En 1
						- Y	<u> </u>	<u> </u>		PECEIV	
PART D. EXPANDED EFFLI	JENT T	ESTIN	G DATA	1				- 1	1		
Refer to the directions on the co	ver page	to det	ermine v	vhether	this sect	lon app	lies to ti	ne:treati	ment works	MAY 28	7008
Effluent Testing: _1.0 mgd and P is required to have) a pretreatment following pollutants. Provide the inwhich effluent is discharged. Do no collected through analyses conduct and other appropriate QA/QC requibelow any data you may have on p scans and must be no more than for	program, dicated et ot include ted using irements ollutants o our and o	or is other or is other or is other or standard or specime-half y	nerwise resting info estion on o R Part 136 dard metl cifically lis years old.	equired be primation combined 6 method nods for sted in thi	oy the per and any o sewer ov is. In add analytes over the series of the	mitting a other info verflows dition, tho not addre at a minio	nuthority or primation in this se ese data essed by mum, eff	to provide required pection. A must constant to the constant testing testing the constant testing testi	e the data, the best of the permulation of the perm	ndn provide effluent thirting authority for end of the provide of	esting data for the phila through ased on data of 40 CFR Part 136 ows provided
Outfall number:POLLUTANT			ce for ea				ent to wa		he United S	ates.)	en e
		DISC	IARGE		第二章		MA	一致一流	,		
	Conc	Units:	Mass	Units	Conc	Units	*Mass	Units	Number of Samples	ANALYTICAL METHOD	MĽ/MDL
METALS (TOTAL RECOVERABLE), C	YANIDE, I	PHENOL	S, AND H	ARDNES	S.	* ************************************	11.54 SW 33	1771. 12.5	- earribles	artika di Maria Andari dan sebagai 🥻	「中国のおおおい」、 (1) … かえ、形像を
ANTIMONY											:
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM							!				
COPPER							-				
LEAD											
MERCURY											
NICKEL											
SELENIUM	,										
SILVER											
THALLIUM											
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO ₃)											
Use this space (or a separate sheet) to	provide in	formatio	n on other	metals re	quested t	y the per	mit write	r.			
4,											

FACILITY NAME AND PERMIT NUMBER:

BBCC WWTP VA 0021481

·					scharging A\	/EDXAC	DAIL	DISCH	United State		
POLLUTANT	- <u>1</u>	DISCH	DISCHARGE						-	ANALYTICAL	ML/ MOI
anning and the second control and the second	Conc	j∍⊎nits-	⊶Mass⊣	Units	Conc.		Mass		Number of Samples	METHOD	YIL X
VOLATILE ORGANIC COMPOUNDS.		<u> </u>							ошпрю		
ACROLEIN											57
ACRYLONITRILE									R	ECEIVE	7
BENZENE										MAY 28 2	
BROMOFORM									1	1010	30
CARBON TETRACHLORIDE										DEQ-WC	
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE							<u> </u>				
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE								<u> </u>			
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE											
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE								•			
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE		1									
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE											
TOLUENE											

FACILITY NAME AND PERMIT NUMBER:

Form Approved 1/14/99
OMB Number 2040-0086

BREE WWYP			7 1 4				_/_	<u> </u>			
Outfall number:									United Stat		u literatus
POLLUTANT			M DAILY IARGE						ARGE		
	«Conc.»	-Units	-Mass-	-Units	Conc.	.Units:	Mass	Units	Number	ANALYTICAL	ML/:MDL
		1.000							of Samples	METHOD	
1,1,1-TRICHLOROETHANE		,									
1,1,2-TRICHLOROETHANE		i							F	ECEIVE	
TRICHLORETHYLENE										1 A 2 5	
VINYL CHLORIDE				,						- MCE	0
Use this space (or a separate sheet) to	provide in	formation	on other	volatile o	rganic con	npounds	requeste	d by the p	permit writer.	DECT. MAGI	
ACID-EXTRACTABLE COMPOUNDS					<u> </u>			l			
P-CHLORO-M-CRESOL											
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL											
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL											
2,4-DINITROPHENOL											
2-NITROPHENOL											1-
4-NITROPHENOL											
PENTACHLOROPHENOL											
PHENOL											
2,4,6-TRICHLOROPHENOL											
Use this space (or a separate sheet) to	provide ir	nformatio	n on other	acid-extr	actable co	mpound	s request	ea by the	permit write	r.	
									*		
BASE-NEUTRAL COMPOUNDS.	<u>l</u>	<u> </u>		L	<u> </u>	<u> </u>	<u> </u>	<u>i </u>	<u> </u>		
		T	I		Ι	T .	Ī	1			
ACENAPHTHENE				-	ļ			-			
ACENAPHTHYLENE											
ANTHRACENE				ļ		<u> </u>					
BENZIDINE											
BENZO(A)ANTHRACENE											

				,						T	
BENZO(A)PYRENE											
FACILITY NAME AND PERMIT N	UMBER	:					1				roved 1/14/99 nber 2040-0086
BRCC WMTP VA	+002	748	/			1	A				· · · · · · · · · · · · · · · · · · ·
Outfall number:	(Comple	te once	for each						United Stat	es.)	h [4 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
POLLUTANT		JAXIMU DISCI	JM DAIL' HARGE	Y) A	VERAGE	34	71.			
A NAME OF THE PROPERTY OF THE	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/MDL
3,4 BENZO-FLUORANTHENE	and the second second second										
BENZO(GHI)PERYLENE									R	ECEIVE	P
BENZO(K)FLUORANTHENE										MAY 28	
BIS (2-CHLOROETHOXY) METHANE			į								
BIS (2-CHLOROETHYL)-ETHER										EQ-WCR	
BIS (2-CHLOROISO-PROPYL) ETHER											
BIS (2-ETHYLHEXYL) PHTHALATE											
4-BROMOPHENYL PHENYL ETHER				ļ							
BUTYL BENZYL PHTHALATE											
2-CHLORONAPHTHALENE											
4-CHLORPHENYL PHENYL ETHER					<u> </u>			_			
CHRYSENE											
DI-N-BUTYL PHTHALATE		-	-			<u> </u>	<u> </u>	-			-
DI-N-OCTYL PHTHALATE			-								
DIBENZO(A,H) ANTHRACENE	-		<u> </u>	-	<u> </u>	_	-	-			
1,2-DICHLOROBENZENE			-	-		-	<u> </u>	-			
1,3-DICHLOROBENZENE		-		-		-	<u> </u>	-	-		-
1,4-DICHLOROBENZENE				-			<u> </u>				
3,3-DICHLOROBENZIDINE	-	-					-	<u> </u>			
DIETHYL PHTHALATE	<u> </u>							-			
DIMETHYL PHTHALATE							-		-		
2,4-DINITROTOLUENE	<u> </u>		-								
2,6-DINITROTOLUENE											

,2-DIPHENYLHYDRAZINE										Form App	roved 1/14/99
FACILITY NAME AND PERMIT							1/	14		OMB Num	nber 2040-0086
BBCC WWTP	VA PO	279	+81				1	rs of the	United State	es.)	
Outfall number:			for each		scharging	/FRAGE	DAILY	DISCHA	United State	Section Commence of the second	w with manifest of the same
POLLUTANT		DISCI	HARGE						Number	ANALYTICAL	ML/MDL
	Conc.	a£,	Mass	Units		Units	Mass		of Samples	METHOD	
FLUORANTHENE										ECEIVE	D \
FLUORENE							L		M		
HEXACHLOROBENZENE										MAY 28	
HEXACHLOROBUTADIENE										DEQ-WC	<u>40 1</u>
HEXACHLOROCYCLO- PENTADIENE										UEW	
HEXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE											
ISOPHORONE											
NAPHTHALENE								ļ	ļ		
NITROBENZENE			ļ				<u> </u>				-
N-NITROSODI-N-PROPYLAMINE					· _						
N-NITROSODI- METHYLAMINE							<u> </u>		 		
N-NITROSODI-PHENYLAMINE			· ·			<u> </u>	-				
PHENANTHRENE							-		-		
PYRENE				ļ							
1,2,4-TRICHLOROBENZENE				<u> </u>		- nounds	roquesto	d by the n	ermit writer		
Use this space (or a separate sheet)	to provide	informat	tion on oth	er base-n	eutrai con	apounas I	equesie	a by the p	The state of the s		
Use this space (or a separate sheet)	1	info	tion on oth	er poliuta	nts (e.g.	pesticides	s) reques	ted by the	permit writer	 r.	
Use this space (or a separate sheet)	to provide	iniorma	HOIT OIL OIL	or politica	(3.9.,	T		<u> </u>			
REFER TO THE AP	il va = 1 . via			FN	ND OF	PAR	TD.				

2A YOU MUST COMPLETE

Form Approved 1/14/99 OMB Number 2040-0086

BRCC WUTP VAOOMYSI SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1:0 mgd; 2) ROTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

Ired to have one under 40 CFR Part 409); or 3) POTWs required by the permitting authority to submit data for these parameters.

Ara minimum these results must include quarterly testing for a 12-month period within-the past 1-year using multiple species (minimum: of two species); or the results from four results in the r

tovicity/reduction evaluation if o	one was conducted			
 If vouthave already submitted a 	nyvorstjormation requested in Pa eviouslyvsubmitted informationIfiEP	rtiE _{i,} you need not subn	nitiitiagain. Rathei sed. report the rea	iprovide the information
fequested friquestici (E:A+io. pi fittest summartes are available) If no biomonitoring dajaris required, do not	that contain all of the information requ	ested below they may	be submitted in a	ace of Part Ex
omplete.	complete Hart E. Refer to the Applic	and love view in the	The state of the s	(2) 一个一个大型的特殊的企业。在一个大型企业的基础的企业,企业的发展
E.1. Required Tests.		_	TOFO	EIVED
Indicate the number of whole eff	luent toxicity tests conducted in the p	ast four and one-half ve	ears.	
chronicacute	out toxion, tools out to a	1	YAM	28
E.2. Individual Test Data. Complete the column per test (where each species of	following chart for each whole effluer	nt toxicity test conducte	in the last four a	
column per test (where each species to	Test number:	Test number:	To Belling reported.	Calchorder O
a. Test information.				The state of the s
Test species & test method number				
Age at initiation of test		-		
Outfall number				
Dates sample collected				
Date test started				
Duration				
b. Give toxicity test methods followed	d.			
Manual title				
Edition number and year of publication				
Page number(s)				
c. Give the sample collection method	d(s) used. For multiple grab sample	s, indicate the number of	of grab samples u	sed.
24-Hour composite				
Grab				
d. Indicate where the sample was ta	ken in relation to disinfection. (Check	all that apply for each)	
Before disinfection			-	
After disinfection			J	
After dechlorination				

Form Approved 1/14/99 FACILITY NAME AND PERMIT NUMBER: OMB Number 2040-0086 BACK WATE VAUNTUR Test number:_ e. Describe the point in the treatment process at which the sample was collected. Sample was collected: f. For each test, include whether the test was intended to assess chronic toxicity, acute toxicity, or both. Chronic toxicity Acute toxicity g. Provide the type of test performed. Static Static-renewal Flow-through h. Source of dilution water. If laboratory water, specify type; if receiving water, specify source. Laboratory water Receiving water i. Type of dilution water. It salt water, specify "natural" or type of artificial sea salts or brine used. Fresh water Salt water j. Give the percentage effluent used for all concentrations in the test series. k. Parameters measured during the test. (State whether parameter meets test method specifications) pН Salinity Temperature Ammonia Dissolved oxygen I. Test Results. Acute: % Percent survival in 100% % effluent LC₅₀ % % % 95% C.I.

%

%

%

Control percent survival

Other (describe)

FACILITY NAME AND PERMIT NUMBER	: A 0027481	NIA	Form Approved 1l14l99 OMB Number 2040-0086
Chronic:			
NOEC	%	%	%
IC ₂₅	%	%	%
Control percent survival	%	%	%
Other (describe)			
m. Quality Control/Quality Assurance	.	R	ECEIVED
is reference toxicant data available?			
Was reference toxicant test within acceptable bounds?			MAY 2.8 000
What date was reference toxicant test run (MM/DD/YYYY)?	:		EQ-WCBO
Other (describe)		etas urtaalisearraan jaan	Some Control of the C
E.A. Summany of Submitted Biomonitori	describe:		
	(MM/DD/YYYY)		
Summary of results: (see instructions REFER TO THE APPLICAT	END OF P		ER PARTS OF FORM

DEQ-WCRO


REENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

- All applicants must complete Section A (General Information). 1.
- Will this facility generate sewage sludge? Yes No 2.

Will this facility derive a material from sewage sludge? _Yes No

If you answered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material Derived From Sewage Sludge).



Will sewage sludge from this facility be applied to the land? Yes No

If you answered No to both questions above, skip Section C.

If you answered Yes to either, answer the following three questions:

- Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in a. the instructions? UNKNOWN _Yes _No
- Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for b. application to the land? Yes No
- Will sewage sludge from this facility be sent to another facility for treatment or blending? Yes No c.

If you answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).

If you answered Yes to a, b or c, skip Section C.

Do you own or operate a surface disposal site? _Yes _No 4.

If Yes, complete Section D (Surface Disposal).

FACILITY NAME AND PERMIT NUMBER:

RBCC WYTP VA 102748!

NAME AND PERMIT NUMBER:

Form Approved 1/14/99 OMB Number 2040-0086

\mathcal{L}	BCC WATE A 1027411 (N/A)
SUP	PLEMENTAL APPLICATION INFORMATION
PART	
GEN	ERAL INFORMATION:
	Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? YesNo
F.2.	Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the industrial users that discharge to the treatment works.
	a. Number of non-categorical SIUs. b. Number of CIUs. MAY 2 8
er, erden i	NIFICANT INDUSTRIAL USER INFORMATION: y-the-following-unformation-fone-achissic, if-more-than-one-Sic/discharges-to-the-treatment-works, copy-questions/F-3-through/F-8-and-more-than-one-Sic/discharges-to-the-treatment-works, copy-questions/F-3-through/F-8-and-more-than-one-sic/discharges-to-the-treatment-work
	y the following information for each SIU, ill more than one SIU discharges to the treatment works. Submit additional pages Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages
F.3.	as necessary.
l	Name:
	Mailing Address:
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s):
	Raw material(s):
F.6.	Flow Rate.
	 a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	
	a. Local limitsYesNo
	b. Categorical pretreatment standardsYesNo If subject to categorical pretreatment standards, which category and subcategory?

ACILITY N	AME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
BB	CC WWJP 0627481	Old served or contributed to any problems (e.g.
	oms at the Treatment Works Attributed to Waste Discharged by the interference) at the treatment works in the past three years?	e SIU. Has the SIU caused of continuous to any problems (org.)
	esNo If yes, describe each episode.	
CRA HA	ZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DED	DICATED PIPELINE:
9 RCRA	Waste. Does the treatment works receive or has it in the past three ye	ears received RCRA hazardous waste by truck, rail, or dedicated pipe?
-	YesNo (go to F.12.)	apply): RECEIVED
10. Wast	e Transport. Method by which RCRA waste is received (check all that	apply):
	RailDedicated Pipe	
	e Description. Give EPA hazardous waste number and amount (volume	me or mass, specify units).
.11. Wast	e Description. Give EPA nazaroous waste humbor and amount Hazardous Waste Number Amount	The state of the s
EFA		DEG-WCRO
		The second secon
	(SUPERFUND) WASTEWATER, RCRA REMEDIATION/CO WASTEWATER, AND OTHER REMEDIAL ACTIVITY WAS	DRRECTIVE
F.13. Was	next five years).	RCRA/or other remedial waste originates (or is expected to originate in
F.15. Wa a.	ste Treatment. Is this waste treated (or will it be treated) prior to entering the treatmen YesNo If yes, describe the treatment (provide information about the removal of	
, b.	Is the discharge (or will the discharge be) continuous or intermittent? ContinuousIntermittent If intermitten	ent, describe discharge schedule.
REFE	END OF F ER TO THE APPLICATION OVERVIEW TO D 2A YOU MUST	PART F. DETERMINE WHICH OTHER PARTS OF FOR COMPLETE

Form Approved 1/14/99 OMB Number 2040-0086 FACILITY NAME AND PERMIT NUMBER: Blcc WNJP 0027481 SUPPLEMENTAL APPLICATION INFORMATION PART G. COMBINED SEWER SYSTEMS If the treatment works has a combined sewer system, complete Part G. G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information) a. All CSO discharge points. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters). Waters that support threatened and endangered species potentially affected by CSOs. G.2. System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sew includes the following information: Locations of major sewer trunk lines, both combined and separate sanitary. Locations of points where separate sanitary sewers feed into the combined sewer system. Locations of in-line and off-line storage structures. Locations of flow-regulating devices. Locations of pump stations. CSO OUTFALLS: Complete questions G:3 through G 6 onc G.3. Description of Outfall. a. Outfall number (Zip Code) b. Location (City or town, if applicable) (State) (County) (Longitude) (Latitude) c. Distance from shore (if applicable) d. Depth below surface (if applicable) Which of the following were monitored during the last year for this CSO? _CSO frequency _CSO pollutant concentrations Rainfall _Receiving water quality _CSO flow volume f. How many storm events were monitored during the last year? G.4. CSO Events. a. Give the number of CSO events in the last year. _ events (___ actual or ___ approx.)

hours (____ actual or _

approx.)


b. Give the average duration per CSO event.

Form Approved 1/14/99 OMB Number 2040-0086

FACILITY NAME AND PERMIT NUMBER:

BBCC WWJP 0027481

12	17	(C NOT TO DIE)
	c.	Give the average volume per CSO event.
		million gallons (actual or approx.)
	d.	Give the minimum rainfall that caused a CSO event in the last year.
		inches of rainfall
G.5.	Des	cription of Receiving Waters.
	a.	Name of receiving water:
	ь.	Name of watershed/river/stream system:
		United States Soil Conservation Service 14-digit watershed code (if known):
	c.	Name of State Management/River Basin:
		United States Geological Survey 8-digit hydrologic cataloging unit code (if known):
G.6	. cs	O Operations.
	De int	escribe any known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closings, permanent or semittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).
		END OF PARTICE.
		THE ARRICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
		2A YOU MUSTICOMPLETIE
15 1 W	75.50	在,这种是一种的一种,我们就是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个



FACILITY NAME: BJJ for tempiles, L.C.	· / ·
	VPDES PERMIT NUMBER: 14002748
VPDES SEWAGE SLUDGE PERMIT APP	PLICATION FORM

CREENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

- 1. All applicants must complete Section A (General Information).
- 2. Will this facility generate sewage sludge? Yes No

Will this facility derive a material from sewage sludge? Yes No

If you answered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material Derived From Sewage Sludge).

3. Will this facility apply sewage sludge to the land? Yes No

Will sewage sludge from this facility be applied to the land? Yes No If you answered No to both questions above skip Section C.

If you answered Yes to either, answer the following three questions:


- a. Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions?
 Yes No Cukkoww
- b. Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for application to the land? Yes No
- c. Will sewage sludge from this facility be sent to another facility for treatment or blending? Yes No

If you answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).

If you answered Yes to a, b or c, skip Section C.

4. Do you own or operate a surface disposal site? Yes No

If Yes, complete Section D (Surface Disposal).



Skip C Skip D FACILITY NAME: BJ J Futyway VPDES PERMIT NUMBER: VA 00 27 48/ SECTION A. GENERAL INFORMATION

-: - .

Il applicants must complete this section.

a.	Facility name: Bt J Buterprishs, L.C.	RECEIVE
b.	Contact person: A A A T 126 VALOR DE T	IILOLIVE
	Title: Supple A l'acte de 1	
	Title: Suph Aintendent Phone: (646) 989-5001 544 -989-3268 (64X)	MAY 28 2704
C.	Mailing address:	MIAI 20 L. S.
	Street or P.O. Box: 3807 BRANDEN AVE. SW.	
	City or Town: Rothok & State: VA. Zip: 24418	DEQ-WCR
d.	Facility location: State: VA. Zip: 240/8	DEG-WOIT
	Street or Route #: Clab house Rd.	
•	Street or Route #: Club house Rd. County: Mont company	
	City or Town: Slowy Long State: VA- Zip:	,
e.	Is this facility a Class I sludge management facility? Yes No	•
f.	Facility design flow rate: 0.035	
g.	Facility design flow rate: 0.035 mgd Total population served: 157 custom rats	
h.	Indicate the type of facility:	
•••	Publicly owned treatment works (POTW)	
	Privately owned treatment works	
	Federally owned treatment works	
	Pederally owned treatment works Blending or treatment operation	
	Surface disposal site Other (describe):	
Applic	cant Information. If the applicant is different from the above, provide the following:	
a.	Applicant name: Sina of phorh	
b.	Mailing address:	
	Street or P.O. Box:	
	City or Town: State: Zip:	
c.	Contact person:	
	Title:	•
	Phone: (')	
d.	ls the applicant the owner or operator (or both) of this facility?	
	owner operator	
e.	Should correspondence regarding this permit be directed to the facility or the applications.	ant? (Check one)
	facility applicant	(
Dann.:4	Information	
	Information. Facility of VPDES pormit number (if any limit)	
a. b	Facility's VPDES permit number (if applicable): $VA002748/$	
b.	List on this form or an attachment, all other federal, state or local permits or construction for that applied for the construction of the constru	ction approvals received
	or applied for that regulate this facility's sewage sludge management practices:	
	Permit Number: Type of Permit:	

3.

4.

FACILITY NAME: BBCC WWTP VPDES PERMIT NUMBER: VHOZ748/

- 5. Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility:
 - a. Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
 - b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.
- 6. Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.

7.	Contractor Information. Are any operational or maintenance aspects of this facility related to se generation, treatment, use or disposal the responsibility of a contractor? Ves No If yes, provide the following for each contractor (attach additional pages if necessary). Name:	RECEIVED
	Name: HAIIS SAPTIL VANVICK	nrow 14 party
	Mailing address: Street or P.O. Box: 211 Willowhrold Lank City or Town: Romoke State: VA. Zip: 240,2	MAY 28
	Phone: (5%) 417 - 765 4 Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludg	
	If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a describe provided to the applicant and the respective obligations of the applicant and the contractor(s	uption of the service to

8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic				
Cadmium				
Chromium				
Copper				
Lead				
Mercury				
Molybdenum				
Nickel				
Selenium				
Zinc				

1	Zinc				
9.	determine who is completed and are	an officer for purposes of the submitting:	nis certification.	Indicate which parts of the	
	Section C (L	General Information) Generation of Sewage Sludg Land Application of Bulk Se Surface Disposal)	e or Preparation ewage Sludge)	of a Material Derived from	Sewage Sludge)

	FACILITY NAME:	Bo	J	
--	----------------	----	---	--

VPDES PERMIT NUMBER: VA 00 27481

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official	title Daing T.	Ochyvor	ns st.	Sufanon moon
Signature 1	Muylle	Date Signed	3/14/0	8
Telephone number	540-989	3653		-

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

E. H. Lester

monaging portion

For corrections and amendments 6/10/2008 + 1/29/2008

MANAGING PONTHAM

JUL 3 0 2008

DEQ-WCRO

HUN D.	GENERATION OF SEWAGE SLUDGE OK PREPARAT	IUN
OF A	MATERIAL DERIVED FROM SEWAGE SLUDGE	

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge JUL 30 2008 1. Amount Generated On Site. Total dry metric tons per 365-day period generated at your facility: 0.05 dry metric tons Amount Received from Off Site. If your facility receives sewage sludge from another facility for treating for the formatting for t disposal, provide the following information for each facility from which sewage sludge is received. If you receive sewage sludge from more than one facility, attach additional pages as necessary. a. Facility name: b. Contact Person: Title:) Phone (Mailing address: c. Street or P.O. Box: City or Town: State: Zip: d. Facility Address: (not P.O. Box) Total dry metric tons per 365-day period received from this facility: e. f. Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics: 3. Treatment Provided at Your Facility. Which class of pathogen reduction is achieved for the sewage sludge at your facility? a. Neither or unknown Class B Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge: Extended Aerstin. Post Chloratin, dechloration, b. Which vector attraction reduction option is met for the sewage sludge at your facility? c. Option 1 (Minimum 38 percent reduction in volatile solids) ___ Option 2 (Anaerobic process, with bench-scale demonstration) ___ Option 3 (Aerobic process, with bench-scale demonstration) Option 4 (Specific oxygen uptake rate for aerobically digested sludge) ___ Option 5 (Aerobic processes plus raised temperature) ___ Option 6 (Raise pH to 12 and retain at 11.5) ___ Option 7 (75 percent solids with no unstabilized solids) Option 8 (90 percent solids with unstabilized solids) None or unknown d. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including e. blending, not identified in a - d above: 4. Preparation of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One of Vector Attraction Reduction Options 1-8 (EQ Sludge). (If sewage sludge from your facility does not meet all of these criteria, skip Question 4.) Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land: a. dry metric tons

Is sewage sludge subject to this section placed in bags or other containers for sale or give-away?

Yes No

b.

FACILITY NAME: B+J Entegniles, LC

VPDES PERMIT NUMBI

Sale or Give-Away in a Bag or Other Container for Application to the Land.

(Complete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this question if sewage sludge is covered in Question 4.)

- Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility for sale or give-away for application to the land: Θ dry metric tons
- Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or b. given away in a bag or other container for application to the land.

6.	Shipme	nt Off Site for Treatment or Blending.
	(Comple	te this question if sewage sludge from your facility is sent to another facility that provides treatment or blanding for facility is sent to another facility that provides treatment or blanding for facility is sent to another facility that provides treatment or blanding for facility is sent to another facility that provides treatment or blanding.
	does not	apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is
	covered	in Questions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)
	a.	Receiving facility name: WESTERN VIRBINIA WATER Author by JUL 30
	b.	Facility contact: Jan's Richardson
		Title: Erringue tal Praymy Candinater
		Phone: (54) 853-1517 Mailing address: (502 Brown)ee Ave. SE DEQ-WCRO
	c	Mailing address: 1502 Brown)ee HVR. JE

- Street or P.O. Box: Formoke State: VA. Zip: 24014 Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: 0.05 dry d. metric tons
- List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of e. all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal practices: Permit Number:

VPDES f. Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your facility? Yes No Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility? __Class B Class A ___Neither or unknown Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce pathogens in sewage sludge: Anerobic dizestion, LAbooms

Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the g. sewage sludge? Yes No

Which vector attraction reduction option is met for the sewage sludge at the receiving facilities. Option 1 (Minimum 38 percent reduction in volatile solids) ___ Option 2 (Anaerobic process, with bench-scale demonstration) ___ Option 3 (Aerobic process, with bench-scale demonstration) JUL 3 n ___ Option 4 (Specific oxygen uptake rate for aerobically digested sludge) ___ Option 5 (Aerobic processes plus raised temperature) ___ Option 6 (Raise pH to 12 and retain at 11.5) DEQ-WCRO ___ Option 7 (75 percent solids with no unstabilized solids) ___ Option 8 (90 percent solids with unstabilized solids)

None unknown Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce vector attraction properties of sewage sludge:

- h. Does the receiving facility provide any additional treatment or blending not identified in f or g above? Yes <u>√</u>No If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:
- i. If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.

NOME IS PROVIDED.

	NAME: RAS VPDES PE	ERMIT NUMBER: VAVO 274
i	Does the receiving facility place sewage sludge from your facility in a bag or	other container for sale or sing
J	away for application to the land? Yes No	other container for sale or give-
	If yes, provide a copy of all labels or notices that accompany the product bein	
k.	Will the source aludes he transported to the receiving of the desired to the desired t	ig sold or given away.
к.	Will the sewage sludge be transported to the receiving facility in a truck-mount	nted watertight tank normally
	used for such purposes? Yes No. If no, provide description and spec	cification on the vehicle used to
	transport the sewage sludge to the receiving facility.	
	Show the haul route(s) on a location map or briefly describe the haul route be	low and indicate me days of the
	week and the times of the day sewage sludge will be transported. Blocksho	16 - Eless Volla Most
	Innto - IEI NWM 581 - ROA Reginal.	/
	9:00 Am - 5:00 Pm	
Land	Application of Bulk Sewage Sludge.	
(Com	plete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sl	udge is covered in Questions 4, 5 or 6;
	ete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)	
a.	Total dry metric tons per 365-day period of sewage sludge applied to all land metric tons	application sites:dry
	·	
b.	Do you identify all land application sites in Section C of this application?	YesNo
•	If no, submit a copy of the Land Application Plan (LAP) with this application	(LAP should be prepared in
	accordance with the instructions).	•
C.	. Are any land application sites located in States other than Virginia? Yes	No
	If yes, describe, on this form or on another sheet of paper, how you notify the	permitting authority for the
	States where the land application sites are located. Provide a copy of the notif	fication.
d.	Attach a copy of any information you provide to the owner or lease holder of	the land application sites to
	comply with the "notice and necessary" information requirement of 9 VAC 25	5-31-530 F and/or H (Examples
	may be obtained in Appendix IV).	(=
Surfa	ce Disposal.	
	olete Question 8 If sewage sludge from your facility is placed on a surface disposal site.)	
a.	Total dry metric tons per 365-day period of sewage sludge from your facility	placed on all surface disposal
	sites: dry metric tons	placed on all surface disposal
b.	Do you own or operate all surface disposal sites to which you send sewage slu	dae for disposal?
U.	Yes No	age for disposar?
	If no, answer questions c - g for each surface disposal site that you do not own	
	sewage silinge to more than one silriace disposal site, affach additional pages s	or operate. If you send
C.	sowage studge to more than one surface disposal site, attach additional pages a	or operate. If you send
	If no, answer questions c - g for each surface disposal site that you do not own sewage sludge to more than one surface disposal site, attach additional pages a Site name or number:	or operate. If you send
d.	Contact person:	r or operate. If you send
d.	Contact person: Title:	
d.	Contact person: Title:	
d.	Contact person: Title:	as recessar RECEIVED JUL 3 0 2008
	Contact person: Title: Phone: () Contact is:Site OwnerSite operator	
d. e.	Contact person: Title: Phone: () Contact is:Site OwnerSite operator Mailing address.	JUL 3 0 2008
	Contact person: Title: Phone: () Contact is: Site Owner Site operator Mailing address. Street or P.O. Box:	
e.	Contact person: Title: Phone: () Contact is:Site OwnerSite operator Mailing address. Street or P.O. Box: City or Town: State: Zip:	JUL 30 2008 DEQ-WCRO
	Contact person: Title: Phone: () Contact is: Site Owner Site operator Mailing address. Street or P.O. Box: City or Town: State: Zip: Total dry metric tons per 365-day period of sewage sludge from your facility p	JUL 30 2008 DEQ-WCRO
e. f.	Contact person: Title: Phone: () Contact is: Site Owner Site operator Mailing address. Street or P.O. Box: City or Town: Total dry metric tons per 365-day period of sewage sludge from your facility paids: dry metric tons	JUL 3 0 2008 DEQ-WCRO placed on this surface disposal
e.	Contact person: Title: Phone: () Contact is: Site Owner Site operator Mailing address. Street or P.O. Box: City or Town: State: Zip: Total dry metric tons per 365-day period of sewage sludge from your facility parties: dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nu	JUL 3 0 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers
e. f.	Contact person: Title: Phone: () Contact is:Site OwnerSite operator Mailing address. Street or P.O. Box: City or Town:State:Zip: Total dry metric tons per 365-day period of sewage sludge from your facility paits:dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nu of all other federal, state or local permits that regulate the sewage sludge use o	JUL 3 0 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers
e. f.	Contact person: Title: Phone: () Contact is:Site OwnerSite operator Mailing address. Street or P.O. Box: City or Town:State:Zip: Total dry metric tons per 365-day period of sewage sludge from your facility paite:dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nu of all other federal, state or local permits that regulate the sewage sludge use o surface disposal site:	JUL 3 0 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers
e. f.	Contact person: Title: Phone: () Contact is:Site OwnerSite operator Mailing address. Street or P.O. Box: City or Town:State:Zip: Total dry metric tons per 365-day period of sewage sludge from your facility paits:dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nu of all other federal, state or local permits that regulate the sewage sludge use o	JUL 3 0 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers
e. f.	Contact person: Title: Phone: () Contact is:Site OwnerSite operator Mailing address. Street or P.O. Box: City or Town:State:Zip: Total dry metric tons per 365-day period of sewage sludge from your facility paite:dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nu of all other federal, state or local permits that regulate the sewage sludge use o surface disposal site:	JUL 3 0 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers
e. f.	Contact person: Title: Phone: () Contact is: Site Owner Site operator Mailing address. Street or P.O. Box: City or Town: State: Zip: Total dry metric tons per 365-day period of sewage sludge from your facility paids: dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nu of all other federal, state or local permits that regulate the sewage sludge use of surface disposal site: Permit Number: Type of Permit:	JUL 3 0 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers
e. f.	Contact person: Title: Phone: () Contact is: Site Owner Site operator Mailing address. Street or P.O. Box: City or Town: State: Zip: Total dry metric tons per 365-day period of sewage sludge from your facility paids: dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nu of all other federal, state or local permits that regulate the sewage sludge use of surface disposal site: Permit Number: Type of Permit:	JUL 30 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers
e. f. g.	Contact person: Title: Phone: () Contact is: Site Owner Site operator Mailing address. Street or P.O. Box: City or Town: State: Zip: Total dry metric tons per 365-day period of sewage sludge from your facility paite: dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nu of all other federal, state or local permits that regulate the sewage sludge use of surface disposal site: Permit Number: Type of Permit:	JUL 3 0 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers
e. f. g.	Contact person: Title: Phone: () Contact is:Site OwnerSite operator Mailing address. Street or P.O. Box: City or Town:State:Zip: Total dry metric tons per 365-day period of sewage sludge from your facility paite:dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nu of all other federal, state or local permits that regulate the sewage sludge use of surface disposal site: Permit Number:Type of Permit:	JUL 30 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers
e. f. g. Incine (Comp	Title: Phone: () Contact is:Site OwnerSite operator Mailing address. Street or P.O. Box: City or Town:State:Zip: Total dry metric tons per 365-day period of sewage sludge from your facility paite:dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nut of all other federal, state or local permits that regulate the sewage sludge use of surface disposal site: Permit Number:Type of Permit:	JUL 3 0 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers or disposal practices at the
e. f. g.	Contact person: Title: Phone: () Contact is:Site OwnerSite operator Mailing address. Street or P.O. Box: City or Town:State:Zip: Total dry metric tons per 365-day period of sewage sludge from your facility paite:dry metric tons List, on this form or an attachment, the surface disposal site VPDES permit nu of all other federal, state or local permits that regulate the sewage sludge use of surface disposal site: Permit Number:Type of Permit:	JUL 3 0 2008 DEQ-WCRO placed on this surface disposal amber as well as the numbers or disposal practices at the

		VPDES PERI	MIT NUMBER:
FACILI	TY NAM	ME:SECTION C. LAND APPLICATION OF BULK SEWAGI	E SLUDGE
		SECTION C. LAND ATT LICATION 62 2 1	
	The sewag of the vect The sewag	n for sewage sludge that is land applied unless any of the following conditions apply: ge sludge meets the Table 1 ceiling concentrations, the Table 3 pollutant concentrations, Class tor attraction reduction options 1-8 (fill out B.4 instead) (EQ Sludge); or ge sludge is sold or given away in a bag or other container for application to the land (fill out B ide the sewage sludge to another facility for treatment or blending (fill out B.6 instead). for every site on which the sewage sludge that you reported in B.7 is land applied.	A pathogen requirements and one
Complete			
1	Identific	cation of Land Application Site.	
1.		Site name or number:	The Part Court of the Party and
	a.	Site location (Complete i and ii)	RECEIVED
	b.	i. Street or Route#:	The Control of Administration of the Control of the Control of Administration of the Control of
		1. Street of Routen.	
		County: State: Zip:	NAI 23
		County: City or Town: Latitude: Latitude: County: Longitude:	
		ii. Latitude: Longitude.	
		Method of latitude/longitude determination USGS map Topographic map. Provide a topographic map (or other appropriate map if a topographic map)	DEQ-WCBO
		USGS map Filed survey other	maranhie man is Uni
	C.	Topographic map. Provide a topographic map (or other appropriate map if a to	pograpine map is
	O.	unavailable) that shows the site location.	
		,	
_	Owner	Information.	
2.		Are you the owner of this land application site? Yes NO	
	a.	If no, provide the following information about the owner:	
	b.	If no, provide the following information as a	_
		Name:	
		Street or P.O. Box: City or Town: State: Zip:	
		City or Town: State Zip	
		Phone: ()	-
		•	
٥.	Applie	er Information:	age studge to this land
٥.	a.	Are you the person who applies, or who is responsible for application on some	ige staage to title tarra
	b.	application site? Yes No If no, provide the following information for the person who applies the sewag	e siudge.
	U.	Name:	
		Street or P.O. Box:	
		Street or P.O. Box: City or Town: State: Zip:	
		City or 10wii.	_
		Phone: () List, on this form or an attachment, the numbers of all federal, state or local p	ermits that regulate the person
	C.	List, on this form of an attachment, the numbers of an items.	
		who applies sewage sludge to this land application site:	
		Permit Number: Type of Permit:	
			
			
4	Cita T	Type. Identify the type of land application site from among the following:	
4.	3110 1	gricultural land Reclamation site Forest blic contact site Other. Describe	
	A	iblic contact siteOther. Describe	
	Pu	iblic contact site	
5.	Vecto	or Attraction Reduction.	to the land application site?
	Are a	or Attraction Reduction. any vector attraction reduction requirements met when sewage sludge is applied t	
	`	was No. If we answer a and b.	
	a.	Indicate which vector attraction reduction option is met.	
	и.	Option 9 (Injection below land surface)	
		Option 10 (Incorporation into soil within 6 hours) Describe, on this form or on another sheet of paper, any treatment processes	used at the land application site
	b.	to reduce the vector attraction properties of sewage sludge:	
		to reduce the vector attraction brobotmes of sample of	
			
			-

3.	LITY NA			
	Storage	~ .	ments.	bacia
			and sludge storage facilities must provide an estimated annual sludge balance on a monthly	04515
	incorpo	orating s	ich factors as storage capacity, sludge production and land application schedule. Metade perm	Terre
	calcula	tions ins	rifying storage requirements.	
	Propos	ed sludg	e storage facilities must also provide the following information:	to show
	a.	4 . 1	etamogo sito lavout on a 7.5 minute tonographic diladrangie di dilici appropriate scalca map	ark the
		the fo	lowing topographic features of the surrounding landscape to a distance of 0.25 mile. Clearly n	iaik tiic
		proper	ty line.	
		1)	Water wells, abandoned or operating	
		2)	Surface waters	
		3)	Springs Public water supply(s) RECEIVED	
		4)		7
		5)	Sinkholes	
		6)	Underground and/or surface mines Mine pool (or other) surface water discharge points MAY 28	
		7)		
		8)	Mining spoil piles and mine dumps	1 1
		9)	Quarry(s) Sand and gravel pits DEQ-WCRO	1
		10)	Sand and gravel pits Gas and oil wells DEG-WCRO	
		11)	Diversion ditch(s)	
		l2) 13)	Agricultural drainage ditch(s)	
		14)	Occupied dwellings, including industrial and commercial establishments	
		15)	Landfills or dumps	
		16)	Other unlined impoundments	
		17)	Septic tanks and drainfields	
		18)	Injection wells	
		10)	Rock outerons	
	b.	A tor	ographic map of sufficient detail to clearly show the following information:	
		1)	Maximum and minimum percent slopes	
		2)	Depressions on the site that may collect water	
		3)	Drainageways that may attribute to rainfall run-on to or runoff from this site	rane
		4)	Portions of the site (if any) which are located with the 100-year floodplain and how the sto	rage
			facility will be protected from flooding	
	c.	Data	and specifications for the storage facility lining material.	
	d.	Plan	and cross-sectional views of the storage facility.	e to the
	e.	Dept	and cross-sectional views of the storage facility to the seasonal high water table and separation distance	oc to the
		perm	anent water table.	
			the land area requirements for land application of	sewage
9.	Land	Area Re	quirements. Provide calculations justifying the land area requirements for land application of sinto consideration average soil productivity group, crop(s) to be grown and most limiting factor (CCF), and the consideration average soil productivity group, crop(s) to be grown and most limiting factor (CCF), and the constant of the con	or(s) of
	sludg	e taking	into consideration average soil productivity group, crop(s) to be grown and most interest and a degree of the grown and most interest and group an	d metal
	the se	wage sl	R sewage sludge only), where applicable. Relate PAN, CCE, and metal loadings to demonstrate.	ate the
	loadii	ngs (CPI	R sewage studge only), where applicable. Relate 17111, 662, and include 18	
			factor for land application.	
		. A	greement Forms. Provide a properly completed Sewage Sludge Application Agreement Form	(attached
10.	Land	owner A	owner if sewage sludge is to be applied onto land not owned by the applicant.	
	for ea	ach land	wher it sewage studge is to be approved once tand too or any	
	Carri	nd Wata	r Monitoring.	
11.			the state available for this land application site? I as INV	
		, ,	at a water monitoring data with this permit application. Also subtrict a written descript	ion of the
	n ye	a, auviiii Iocation	approximate depth to ground water, and the ground water monitoring procedures used to obt	ain these
	weii	ισφαιίστι	, approximate to provide the control of the control	

(Complete Items a-d for sites receiving infrequent application - land application of sewage sludge up to the agronomic rate at a frequency of once in a 3 year period; complete Items a-h for sites receiving frequent application - land application of sewage sludge in excess of 70%

Page 11 of 16

Land Application Site Information.

the agronomic rate at a frequency greater than once in a 3 year period)

2.

FACILITY N	JAME:	VPDES P	PERMIT NUMBER:
f.	Collect and analyze soil samples from each field, we performed for Item e. Using the table below or a seample for each of the following parameters.	reighted to best represent eparate attachment, provi	ide at least one analysis per
-	Soil Organic Matter (%)		
	Soil pH (std. units)		
	Cation Exchange Capacity (meq/100g)		
	Total Nitrogen (ppm)		
	Organic Nitrogen (ppm)		
	Ammonia Nitrogen (ppm)		
	Nitrate Nitrogen (ppm)		
	Available Phosphorus (ppm)		
	Exchangeable Potassium (mg/100g)		Single Milital (Mil. 1976) I I O M (Miller Miller)
	Exchangeable Sodium (mg/100g)		RECEIVED
	Exchangeable Calcium (mg/100g)		principles of the second state of the second state of the second
	Exchangeable Magnesium (mg/100g)		
	Arsenic (ppm)		MAY 2.8 11.0
	Cadmium (ppm)		
	Copper (ppm)		
	Lead (ppm)		DEQ-WCRO
	Mercury (ppm)		
	Molybdenum (ppm)		
	Nickel (ppm)		
	Selenium (ppm)	,	

- g. Relate the crop nutrient needs to anticipated yields, soil productivity rating and the various fertilizer or nutrient sources from sludge and chemical fertilizers. Describe any specialized agronomic management practices which may be required as a result of high soil pH. If the sludge is expected to possess an unusually high CCE or other unusual properties, provide a description of any plant tissue testing, supplemental fertilization or intensive agronomic management practices which may be necessary.
- h. Using a narrative format and referencing any related charts, describe the proposed cropping system. Show how the crop rotation and management will be coordinated with the design of the land application system. Include any supplemental fertilization program, soil testing and the coordination of tillage practices, planting and harvesting schedules and timing of land application.

Zinc (ppm)
Manganese (ppm)
Particle Size Analysis or
USDA Textural Estimate (%)

FACI	LITY N	AME:VPDES PERMIT NUMBER:
		SECTION D. SURFACE DISPOSAL
1	ata this ear	ction only if you own or operate a surface disposal site. Provide the information for each active sewage sludge unit.
4 pr	ete iiis sec	and the point of operate a surface disposit site. The first the months of the surface see and the surface
1.	Inform	nation on Active Sewage Sludge Units.
	a.	Unit name or number:
	b.	Unit location
		i. Street or Route#:
		County: State: 7in:
		County: City or Town: State: Zip: ii. Latitude: Longitude: Method of latitude/longitude determination NOOS
		Method of latitude/longitude determination
		Method of latitude/longitude determination USGS map Filed survey Other
	C.	Topographic map. Provide a topographic map (or other appropriate map if a topographic map is
		unavailable) that shows the site location.
	d.	Total dry metric tons of sewage sludge placed on the active sewage sludge unit per 365-day period:
		dry metric tons.
	e.	Total dry metric tons of sewage sludge placed on the active sewage sludge unit over the life of the li
	0	dry metric tons. Does the active sewage sludge unit have a liner with a minimum hydraulic conductivity of
	f.	1 x 10 ⁻⁷ cm/sec? Yes No If yes, describe the liner or attach a description.
		1 x 10 cm/sec? 1es No 11 yes, describe the filler of attach a description.
	g.	Does the active sewage sludge unit have a leachate collection system? Yes No
	8.	If yes, describe the leachate collection system or attach a description. Also, describe the method used for
		leachate disposal and provide the numbers of any federal, state or local permits for leachate disposal:
	,	If you answered no to either f or g, answer the following:
	h.	Is the boundary of the active sewage sludge unit less than 150 meters from the property line of the surface
		disposal site? Ves No. If we provide the actual distance in meters:
	i.	Remaining capacity of active sewage sludge unit, in dry metric tons: A principled classification of active sewage sludge unit if known: (MM/DD/YYYY)
		Anticipated closure date for active sewage studge unit, it known.
		Provide with this application a copy of any closure plan developed for this active sewage sludge unit.
2.	Sewa	ge Sludge from Other Facilities.
	Is sev	wage sludge sent to this active sewage sludge unit from any facilities other than yours?YesNo
		s, provide the following information for each such facility, attach additional sheets as necessary.
	a.	Facility name:
	b.	Facility contact:
		Title: Phone: ()
	C.	Mailing address.
	C.	
		Street or P.O. Box: City or Town: State: Zip:
	d.	List, on this form or an attachment, the facility's VPDES permit number as well as the numbers of all other
		federal, state or local permits that regulate the facility's sewage sludge management practices:
		Permit Number: Type of Permit:

Which class of pathogen reduction is achieved before sewage sludge leaves the other facility?

reduce pathogens in sewage sludge:

Class A Class B Neither or unknown

Describe, on this form or on another sheet of paper, any treatment processes used at the other facility to

e.

f.

VPDES PERMIT APPLICATION ADDENDUM - SUPPLEMENTARY INFORMATION


A.	<u>Gen</u>	eral Information			
	1.	Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may not be the facility or property owner. DAINA T. Phynolos II. Ophnasor Supposition of the part.			
	2.	Classify the discharge as one of the following by checking the appropriate line:			
		a. Existing discharge			
		b. Proposed discharge			
		c. Proposed expansion of an existing discharge			
B.	Loc	ation 2 3			
	1.	Is this facility located within city or town boundaries? Y/N			
	2.	(New Issuances & Modifications Only) What is the tax map parcel number for the land where this facility is located?			
	3.	For the facility to be covered by this permit, how many acres will be disturbed during the next years due to new construction activities?			
	4.	What is the total acreage of the property on which the treatment plant is located? acres			
	5.	Give the minimum elevation of the treatment plant site. 1480 feet Ar Our FALL 1480 At Plant			
	6.	Flood elevations of the treatment plant site: 25 year flood /47/ feet 100 year flood /473 feet			
	7.	Attach to the back of this application a location map(s) which may be traced from or is/are a production of a U.S. Geological Survey topographic quadrangle(s) or other appropriately scaled contour map(s). The location map(s) shall show the following:			
		a. Treatment Plant			
		b. Discharge point			
		c. Receiving waters			
		 d. Boundaries of the property on which the treatment plant is located, or to be located. e. Distance from the treatment plant to the nearest: (Indicate "not applicable" for any distance 			
		e. Distance from the treatment plant to the hearest: (Indicate not applicable not any distance greater than 2000 feet)			
		i. Residence			
		ii. Distribution line for potable water supply			
		iii. Reservoir, well, or other source of water supply			
		iv. Recreational area			
		f. Distance from the discharge point to the nearest:			
		(Indicate "not applicable" for any distance greater than 15 miles)			
		i. Downstream community			
		ii. Upstream and downstream water intake points			
		iii. Shellfishing waters			
		iv. Wetlands areav. Downstream impoundment			
		v. Downstream impoundment			

vi. Downstream recreational area

C. <u>Discharge Description</u>

1. Provide a brief description of the wastewater treatment scheme. Also, attach to the back of this application, a process flow diagram showing each process unit of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system.

Extended Aerotion with post chlorination And dechlorration.



- 2. What is the design average flow of this facility? O, 035 MGD Industrial facilities: What is the max. 30-day avg. production level (include units)?
- 3. In addition to the above design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? Y/

4. Nature of operations generating wastewater:

Chintry Club Winner Sing Veridures

_____% of flow from domestic connections/sources

Number of private residences to be served by the wastewater treatment facilities:

_____0 ____1-49 ____50 or more

_______% of flow from non-domestic connections/sources

5. Mode of discharge: Continuous Intermittent Seasonal
Describe frequency and duration of intermittent or seasonal discharges:

Identify the characteristics of the receiving stream at the point just above the facility's discharge point:

Permanent stream, never dry

Intermittent stream, usually flowing, sometimes dry

Ephemeral stream, wet-weather flow, often dry

Effluent-dependent stream, usually or always dry

Lake or pond at or below the discharge point

__ Lake or pond at or below the discharge poir Other:

Proposed Design Capacity:	MGD	
Anticipated Date of Construction Con	npletion:, Month	Year
Years after Completion		Projected Flow (MGD)
0		and the programment of the second
5		
10		And the state of t
15		
20 25		
30		And the second s
		DEO-MCHO
Interim Facilities	<u> </u>	and the second s
Are the wastewater treatment facilitie Yes No	s interim? (designed for a useful life	e of less than 5 years)

PUBLIC NOTICE BILLING INFORMATION FORM

I hereby authorize the Department of Environmental Quality to have the cost of publishing a public notice billed to the Agent/Department shown below. The public notice will be published once a week for two consecutive weeks in accordance with 9 VAC 25-31-290.C.2:


Agent/Department to be	billed: B+J Enterprisas, LC.
Owner:	E.H. Lester + W.H. Lester
Applicant's Address:	3807 BRAVOON AVE, S.W
	Suite 245
	Romoke, VA 24018
Agent's Telephone No:	540-989-3653
Authorizing Agent:	Signature Constitution
	DAINA T. Phynoros #. Printed Name
	Suphwint the The T
Facility Name: Permit No.	Blacksburg Country Club WWTP VA-0027-481
Please return to:	Becky L. France Department of Environmental Quality 3019 Peters Creek Road Roanoke, VA 24019 Fax No. (540) 562-6860

PUBLIC NOTICE BILLING INFORMATION FORM


I hereby authorize the Department of Environmental Quality to have the cost of publishing a public notice billed to the Agent/Department shown below. The public notice will be published once a week for two consecutive weeks in accordance with 9 VAC 25-31-290.C.2:


Agent/Department to b	e billed: B+J Entuprias, LC.	
•		RECEIVED
Owner:	E.A. Lester + W. H. Lester	WAY 28 1703
Applicant's Address:	3807 BRAVOON AVE., S.W.	
	Suite 245	DEQ-WCRC
	Romanche, VA. 24018	
	77010	
Agent's Telephone No:	540-989-3653	
Authorizing Agent:	Signature Signature	
	DAINA T. Phynoist. Printed Name	
	Suphuin TENTENT	
Facility Name: Permit No.	Backsburg Country Club WWTP	
Please return to:		
	Becky L. France	
	Department of Environmental Quality	
	3019 Peters Creek Road	
	Roanoke, VA 24019	

Fax No. (540) 562-6860











1997 OPERATIONS DIAGRAM Club ScAMEN TRAMMOND PART. ElACLEBURE COUNTY Club ScAMEN TRAMMOND PART.



DEG-WCRO

OC1 2 0 5005

BECEINED



STATE CORPORATION COMMISSION

Richmond, October 3, 1995

This is to Certify that the certificate of organization of B & J ENTERPRISES, L.C. ID: S-10611

was this day issued and admitted to record in this office an that the said limited liability company is authorized transact its business subject to all the laws of the Staraphlicable to the company and its business.



State Corporation Commissio.

William J. Bridge

L. Preston Bryant, Jr. Secretary of Natural Resources DEPARTMENT OF ENVIRONMENTAL QUALITY
Street address: 629 East Main Street, Richmond, Virginia 23219
Mailing address: P.O. Box 1105, Richmond, Virginia 23218
Fax (804) 698-4500 TDD (804) 698-4021
www.deq.virginia.gov

David K. Paylor Director

(804) 698-4000 1-800-592-5482

January 10, 2008

Mr. Daina Trimble Reynolds B&J Enterprises, L.C. 3807 Brandon Avenue SW, Suite 245 Roanoke, VA 24018

RE:

Financial Capability for Blacksburg Country Club STP

VPDES Permit VA0027481

Dear Mr. Reynolds:

The Virginia Department of Environmental Quality (the Department) has reviewed the Certificate of Deposit you submitted to the Department to demonstrate your annually required increment of financial capability for privately owned sewerage systems owned and/or operated in the Commonwealth of Virginia. This document has been prepared in accordance with 9 VAC 25-650, Closure Plans and Demonstration of Financial Capability (the Regulation).

Please note that the obligation to update your financial assurance mechanism is an annual one. The Regulation requires an owner/operator to update the cost estimate annually for inflation within sixty days prior to the anniversary date of the mechanism. Your anniversary date is **November 7**. The cost estimate must be adjusted for inflation no later than **September 7**, **2008**. The cost estimate is adjusted by multiplying the current cost estimate by the current year's inflation factor. You may call the Office of Financial Assurance at 804-698-4205 sixty days prior to the effective date to obtain the inflation factor.

\$26,445 x 2008 inflation factor = 2008 Adjusted Cost Estimate

I will contact you 60 days prior to your anniversary date to inform you of the amount your next incremental funding submittal should be. You should then submit the appropriate documentation to the Department by November 7, 2008.

If you have any questions regarding the financial assurance requirements, please contact me at (804) 698-4205 (toll free in Virginia 800-592-5482 ext. 4205) or via email at jqbennett@deq.virginia.gov. Thank you for your time and cooperation in this matter.

Sincerely,

Josiah Q. Bennett Office of Financial Assurance

c: Becky France DEQ/WCRO Kip Foster DEQ/WCRO